

December 11, 2025

**SERVICE COMMITTEE**

December 15, 2025

Council Chambers

Following Finance Committee

*Committee and Council Meetings can be viewed by accessing YouTube*

**AGENDA**

1. Consider **Resolution No. 25-82** A RESOLUTION AUTHORIZING AND DIRECTING THE DIRECTOR OF PUBLIC SERVICE OF THE CITY OF NEWARK, OHIO, TO ENTER INTO CONTRACT WITHOUT COMPETITIVE BIDDING, SUBJECT TO THE APPROPRIATION OF FUNDS, FOR THE PURCHASE OF A NEW DUMP TRUCK AND BED FOR THE WATER DISTRIBUTION/SEWER MAINTENANCE DEPARTMENT THROUGH SOURCEWELL, THE STATES COOPERATIVE PURCHASING PROGRAM.
  
2. Consider **Resolution No. 25-84** A resolution appointing a new member to replace a citizen member vacancy; reappointing a citizen member and the local government member to the Board of Trustees of Newark Downtown New Community Authority; and declaring an emergency.
  
3. Other items at the discretion of the Chair

BY: \_\_\_\_\_

**A RESOLUTION AUTHORIZING AND DIRECTING THE DIRECTOR OF PUBLIC SERVICE OF THE CITY OF NEWARK, OHIO, TO ENTER INTO CONTRACT WITHOUT COMPETITIVE BIDDING, SUBJECT TO THE APPROPRIATION OF FUNDS, FOR THE PURCHASE OF A NEW DUMP TRUCK AND BED FOR THE WATER DISTRIBUTION/SEWER MAINTENANCE DEPARTMENT THROUGH SOURCEWELL, THE STATES COOPERATIVE PURCHASING PROGRAM.**

**WHEREAS**, the City of Newark operates a water distribution and wastewater collection system; and,

**WHEREAS**, the department requires maintenance vehicles to perform routine and emergency service throughout the system; and,

**WHEREAS**, there is need to replace an aging dump truck to ensure reliable service for current and future customers; and,

**WHEREAS**, the combined price of the truck and bed is greater than \$75,000; and,

**WHEREAS**, due to the vehicle being available through the Ohio Cooperative Purchasing Program, Sourcewell, and pursuant to 10.02(C) of the Charter of the City of Newark, Ohio, it is requested that competitive bidding be waived and allow the Director of Public Service to enter into a purchase agreement to obtain the needed vehicle

**WHEREAS**, funding from the water division is available to purchase said vehicle; and,

**WHEREAS**, the Service Committee of the Newark City Council met on the 15<sup>th</sup> day of December, 2025 and voted to forward this legislation to full Council for its further consideration.

**NOW THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF NEWARK, COUNTY OF LICKING, AND STATE OF OHIO, THAT:**

Section 1: The Director of Public Service is hereby authorized and directed to purchase a Tandem Axle Dump Truck and Dump Bed, subject to the appropriation of Water funds.

Section 2: It is in the best interest of the City and its residents that competitive bidding be waived pursuant 10.02(C) due to the fact the vehicle is currently available for purchase from the States Cooperative Purchasing Program, Sourcewell.

Section 2: This resolution shall become effective at the earliest time permitted in accordance with Article 4.07 of the Charter of the City of Newark, Ohio.

Passed this \_\_\_\_\_ day of \_\_\_\_\_ 2025.

\_\_\_\_\_  
PRESIDENT OF COUNCIL

ATTEST: \_\_\_\_\_  
CLERK OF COUNCIL

DATE FILED WITH MAYOR: \_\_\_\_\_

DATE APPROVED BY MAYOR: \_\_\_\_\_

\_\_\_\_\_  
MAYOR

FORM APPROVED: \_\_\_\_\_  
DIRECTOR OF LAW

Prepared by the Division of Water and Wastewater

---

---

**W W DIVISION OF WATER & WASTEWATER W W**

---

---

Brandon Fox  
Utilities Superintendent  
740-670-7945

34 South 5<sup>th</sup> Street  
P. O. Box 4100  
Newark, Ohio 43058-4100

**MEMORANDUM**

**TO:** Jeff Rath, Chairman  
Public Service Committee

**FROM:** Brandon Fox   
Water Administrator

**SUBJECT:** Service Committee Agenda

**DATE:** December 10, 2025

**COPIES:** Mayor, Service Director, Clerk of Council, Jeff Rath, Dustin Neely, Bill Cost Jr., Beth Bline, Bradley Chute, file

---


I would appreciate some time on the next Service Committee agenda to present the following resolution.

**A RESOLUTION AUTHORIZING AND DIRECTING THE DIRECTOR OF PUBLIC SERVICE OF THE CITY OF NEWARK, OHIO, TO ENTER INTO CONTRACT WITHOUT COMPETITIVE BIDDING, SUBJECT TO THE APPROPRIATION OF FUNDS, FOR THE PURCHASE OF A NEW DUMP TRUCK AND BED FOR THE WATER DISTRIBUTION/SEWER MAINTENANCE DEPARTMENT THROUGH SOURCEWELL, THE STATES COOPERATIVE PURCHASING PROGRAM.**

**Department of Public Service**

**Division of Water and Wastewater**

**Request for Legislation**



***Project Title: Water Distribution/Sewer Maintenance Dump Truck***

**A RESOLUTION AUTHORIZING AND DIRECTING THE DIRECTOR OF PUBLIC SERVICE OF THE CITY OF NEWARK, OHIO, TO ENTER INTO CONTRACT WITHOUT COMPETITIVE BIDDING, SUBJECT TO THE APPROPRIATION OF FUNDS, FOR THE PURCHASE OF A NEW DUMP TRUCK AND BED FOR THE WATER DISTRIBUTION/SEWER MAINTENANCE DEPARTMENT THROUGH SOURCEWELL, THE STATES COOPERATIVE PURCHASING PROGRAM.**

---

---

**Background/Purpose:**

The City has approximately 182 miles of sanitary sewers, 244 miles of water lines and almost 20,000 customers throughout the City that require routine and emergency maintenance by Water Distribution and Sewer Maintenance staff. The City currently has a 2011 Dump Truck that needs replacement.

**Scope of Work:**

The Division of Water and Wastewater, through the Director of Public Service, is requesting authorization to purchase a Dual Axle Dump Truck cab, chassis and Dump bed through the State of Ohio Cooperative Purchasing Program, Sourcewell. This current legislation authorizes the process to start.

**Justification/Urgency:**

City vehicles are routinely replaced to ensure safe and functional vehicles are available for staff to use daily on routine and emergency maintenance.

**Anticipated Costs and funding source:**

The Water Division has funding to purchase the dump truck and bed. The truck is \$121,950.53 and the bed is \$39,850.00 for a total of \$161,800.53 for the truck/bed which is over the \$75,000 threshold. The dump truck is priced through the State of Ohio Cooperative Purchasing program, which includes a \$62,833.47 price reduction.

**Schedule:**

The truck and utility bed will be purchased for the City pending passage of the legislation. Delivery of the truck is 36-40 weeks.

**Community Impact:**

This project will benefit the City by ensuring a reliable dump truck is available for staff.

**Request Initiated by:**

Brandon Fox, Water Administrator ([bfox@newarkohio.net](mailto:bfox@newarkohio.net) - 670-7945)

RESOLUTION NO. \_\_\_\_\_

BY: \_\_\_\_\_

**A RESOLUTION AUTHORIZING AND DIRECTING THE DIRECTOR OF PUBLIC SERVICE OF THE CITY OF NEWARK, OHIO, TO ENTER INTO CONTRACT WITHOUT COMPETITIVE BIDDING, SUBJECT TO THE APPROPRIATION OF FUNDS, FOR THE PURCHASE OF A NEW DUMP TRUCK AND BED FOR THE WATER DISTRIBUTION/SEWER MAINTENANCE DEPARTMENT THROUGH SOURCEWELL, THE STATES COOPERATIVE PURCHASING PROGRAM.**

**WHEREAS**, the City of Newark operates a water distribution and wastewater collection system; and,

**WHEREAS**, the department requires maintenance vehicles to perform routine and emergency service throughout the system; and,

**WHEREAS**, there is need to replace an aging dump truck to ensure reliable service for current and future customers; and,

**WHEREAS**, the combined price of the truck and bed is greater than \$75,000; and,

**WHEREAS**, due to the vehicle being available through the Ohio Cooperative Purchasing Program, Sourcewell, and pursuant to 10.02(C) of the Charter of the City of Newark, Ohio, it is requested that competitive bidding be waived and allow the Director of Public Service to enter into a purchase agreement to obtain the needed vehicle

**WHEREAS**, funding from the water division is available to purchase said vehicle; and,

**WHEREAS**, the Service Committee of the Newark City Council met on the 15<sup>th</sup> day of December, 2025 and voted to forward this legislation to full Council for its further consideration.

**NOW THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF NEWARK, COUNTY OF LICKING, AND STATE OF OHIO, THAT:**

Section 1: The Director of Public Service is hereby authorized and directed to purchase a Tandem Axle Dump Truck and Dump Bed, subject to the appropriation of Water funds.

Section 2: It is in the best interest of the City and its residents that competitive bidding be waived pursuant 10.02(C) due to the fact the vehicle is currently available for purchase from the States Cooperative Purchasing Program, Sourcewell.

Section 2: This resolution shall become effective at the earliest time permitted in accordance with Article 4.07 of the Charter of the City of Newark, Ohio.

Passed this \_\_\_\_\_ day of \_\_\_\_\_ 2025.

\_\_\_\_\_  
PRESIDENT OF COUNCIL

ATTEST: \_\_\_\_\_  
CLERK OF COUNCIL

DATE FILED WITH MAYOR: \_\_\_\_\_

DATE APPROVED BY MAYOR: \_\_\_\_\_

\_\_\_\_\_  
MAYOR

FORM APPROVED: \_\_\_\_\_  
DIRECTOR OF LAW

Prepared by the Division of Water and Wastewater



# **HV607 SBA**

Sales Proposal For:

**CITY OF NEWARK**

Presented By:

**MATHENY INTL TRUCKS**

---

**Prepared For:**  
CITY OF NEWARK  
DREW FORGRAVE  
1195 E Main St.  
Newark, OH 43055-8869  
(740)670 - 7500  
Reference ID: N/A

**Presented By:**  
MATHENY INTL TRUCKS  
JOSHUA WALTERS  
205 STATE ST.  
ZANESVILLE OH 437013230  
740-452-9391

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

**Model Profile**  
**2027 HV607 SBA (HV607)**

<b>AXLE CONFIG:</b>	6X4
<b>APPLICATION:</b>	Construction Dump
<b>MISSION:</b>	Requested GVWR: 54000. Calc. GVWR: 53220. Calc. GCWR: 80000 Calc. Start / Grade Ability: 26.36% / 1.86% @ 55 MPH Calc. Geared Speed: 78.2 MPH
<b>DIMENSION:</b>	Wheelbase: 187.00, CA: 119.90, Axle to Frame: 75.00
<b>ENGINE, DIESEL:</b>	{Cummins L9 330} EPA 2024, 330HP @ 2200 RPM, 1000 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 330 Peak HP (Max)
<b>TRANSMISSION, AUTOMATIC:</b>	{Allison 3500 RDS} 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
<b>CLUTCH:</b>	Omit Item (Clutch & Control)
<b>AXLE, FRONT NON-DRIVING:</b>	{Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity
<b>AXLE, REAR, TANDEM:</b>	{Meritor MT-40-14X-4DER-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, . 433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends Gear Ratio: 5.29
<b>CAB:</b>	Conventional, Day Cab
<b>TIRE, FRONT:</b>	(2) 11R22.5 Load Range H HSR 3 (CONTINENTAL), 494 rev/mile, 75 MPH, All-Position
<b>TIRE, REAR:</b>	(8) 11R22.5 Load Range H HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
<b>SUSPENSION, REAR, TANDEM:</b>	{Hendrickson RT-403} Walking Beam, 40,000-lb Capacity, 52" Axle Spacing, Multileaf Springs, with Rubber Center Bushings
<b>PAINT:</b>	Cab schematic 100WL Location 1: 0515, Dark Green (Prem) Chassis schematic N/A

<b>Code</b>	<b>Description</b>
HV60700	Base Chassis, Model HV607 SBA with 187.00 Wheelbase, 119.90 CA, and 75.00 Axle to Frame.
1AND	AXLE CONFIGURATION 6x4
	<u>Notes</u> : Pricing may change if axle configuration is changed.
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL
1LLE	BUMPER, FRONT Contoured, Steel, Severe Duty
1WGX	WHEELBASE RANGE 169" (430cm) Through and Including 219" (555cm)
2ARU	AXLE, FRONT NON-DRIVING {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity
3ADE	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck
	<u>Notes</u> : When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.
4677	TRAILER HOSES Glad Hands for Four-Wheel Connections, Temporarily Mounted with Bulkhead Connectors on End of Frame, Includes Additional Hosing and Dummy Glad Hands
4732	DRAIN VALVE {Berg} with Pull Chain, for Air Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System
4EBD	AIR DRYER {Wabco System Saver 1200} with Heater
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqrIn Spring Brake
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqrIn
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Rail, Front of Rear Suspension, Parallel to Rail

<b>Code</b>	<b>Description</b>
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle
4XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type
5708	STEERING COLUMN Tilting
5CBE	STEERING WHEEL 4-Spoke; 18" Dia., Black Leather Wrapped
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power
6DGZ	DRIVELINE SYSTEM {Dana Spicer} 1710 Main Driveline with 1710 Interaxle Shaft, for 6x4
7BEV	AFTERTREATMENT COVER Steel, Black
7BLW	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger
7WAZ	TAIL PIPE (1) Turnback Type
7WDM	EXHAUST HEIGHT 10'
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u>
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
	: STARTER SWITCH Electric, Key Operated
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors
8RPB	RADIO, STEERING WHEEL CONTROLS Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect
8RPR	ANTENNA for Increased Roof Clearance Applications
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input

<b>Code</b>	<b>Description</b>
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch
8VAY	HORN, ELECTRIC Disc Style
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time
8WMA	SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
8XDU	BATTERY BOX Steel, with Aluminum Cover, 14" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord
8XKC	HEADLIGHTS Halogen, with Daytime Running Lights, Automatic Twilight Controlled
8XPK	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB-A Port and USB-C Port, Located in the Instrument Panel
8XPN	USB PORT One USB-A Port and One USB-C Port, Located in Instrument Panel
9AAB	LOGOS EXTERIOR Model Badges
9AAE	LOGOS EXTERIOR, ENGINE Badges
9HAD	GRILLE Chrome
9HAN	INSULATION, UNDER HOOD for Sound Abatement
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9WAC	BUG SCREEN Mounted Behind Grille
9WBM	FRONT END Tilting, Fiberglass, with Three Piece Construction, Sloped Front
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100  <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WL"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10769	PAINT CLASS Premium Color
10AGB	CONNECTED PLATFORM Includes Connectivity Module and Five Year Data Plan
10BAE	LABEL, DEF "DEF ONLY"
10JPA	CUSTOMER IDENTITY for Sourcewell
10SLV	PROMOTIONAL PACKAGE Government Silver Package

<b>Code</b>	<b>Description</b>
10UAV	VEHICLE REGISTRATION IDENTITY ID for Non-CARB Omnibus and/or Non-ACT Adopting State or Exempt Vehicle. Not for use on vehicles registering in CA. Contains non-mitigated legacy engine & cannot be registered in CA unless exempt. You may be held liable under state law for failure to properly register vehicle.  <u>Notes</u> : CANNOT BE REGISTERED IN CA. For vehicles that will be registered in States other than CA.
10WBS	KEYS - ALL ALIKE, ADDITIONAL 2 Keys
10WCY	SAFETY TRIANGLES
10XAN	FIRE EXTINGUISHER 5 lb Class A B C
10XAP	FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat
10XBU	SPECIAL RATING, GVWR Limited to 68,000-lb GVWR
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines  <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door
12EYX	ENGINE, DIESEL {Cummins L9 330} EPA 2024, 330HP @ 2200 RPM, 1000 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 330 Peak HP (Max)
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed  <u>Includes</u> : FAN Nylon
12UAW	RADIATOR Aluminum, 2-Row, Cross Flow, Over Under System, 1045 SqIn Louvered, with 373 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler  <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12VBR	AIR CLEANER with Service Protection Element
12VKL	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2026
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
12WVG	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
12WZJ	CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
12WZY	CARB EMISSION WARR COMPLIANCE for Cummins L9 Engines
12XBM	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines
13BDR	TRANSMISSION, AUTOMATIC {Allison 3500 RDS} 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway

<b>Code</b>	<b>Description</b>
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission
13WGH	TRANSMISSION DIPSTICK Relocated to Right Side of Transmission
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming
13XAM	PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission
14GVJ	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DER-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends . Gear Ratio: 5.29
14UHC	SUSPENSION, REAR, TANDEM {Hendrickson RT-403} Walking Beam, 40,000-lb Capacity, 52" Axle Spacing, Multileaf Springs, with Rubber Center Bushings
15LNS	FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine
15SXJ	FUEL TANK Top Draw, Non-Polished Aluminum, 24" Dia, 50 US Gal (189L), Mounted Left Side, Under Cab
15WCN	DEF TANK 5 US Gal (19L) Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional, Day Cab
16ATC	AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature
16BAM	AIR CONDITIONER with Integral Heater and Defroster
16GEG	GUAGE CLUSTER Premium Level; English with English Electronic Speedometer  <u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)
16HCS	GUAGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster
16HGH	GUAGE, OIL TEMP, AUTO TRANS for Allison Transmission
16HHE	GUAGE, AIR CLEANER RESTRICTION {Filter-Minder} Mounted in Instrument Panel
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16KZW	SEAT, DRIVER {National 2000 195} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 8" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 6-23 Degree Angle Back Adjust
16SGH	GRAB HANDLE, EXTERIOR (2) Chrome, for Cab Entry, (1) Towel Bar Type, with Anti-Slip Rubber Inserts Mounted Left Side at B-Pillar, (1) Towel Bar Type Mounted Right Side on Vertical Exhaust
16SMN	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl

<b>Code</b>	<b>Description</b>
16SNP	MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width  <u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"
16VKB	CAB INTERIOR TRIM Classic, for Day Cab  <u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap
16VLV	MONITOR, TIRE PRESSURE Omit
16WBY	ARM REST, RIGHT, DRIVER SEAT
16WEE	CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood
16WSK	CAB REAR SUSPENSION Air Bag Type
16XCW	CAB, INTERIOR TRIM, CLOSEOUT Under IP, Driver Side
16XJN	INSTRUMENT PANEL Flat Panel
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab
27DUK	WHEELS, FRONT {Accuride 29169} DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs
60AAG	BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches
7382135439	(2) TIRE, FRONT 11R22.5 Load Range H HSR 3 (CONTINENTAL), 494 rev/mile, 75 MPH, All-Position
7382135444	(8) TIRE, REAR 11R22.5 Load Range H HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive

**Services Section:**

40128	WARRANTY Standard for HV507/HV509, HV50B, HV607/HV609 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A
40NSG	CARB COMPANION PLAN for CARB B6.7 and L9 Engines  SEE ATTACHED

Financial Summary
2027 HV607 SBA (HV607)

Table with 3 columns: Description, (US DOLLAR), Price. Rows include Factory List Prices, Total Goods Purchased, Total Preparation And Delivery, Total Freight, Total Vehicle Price, Total Sale Price, Total Per Vehicle Sales Price, Net Sales Price.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

If you haven't added a planned maintenance service contract to your proposal yet, please get in touch with your local dealer, International or IC Bus Sales Representative to learn more about the benefits when ordering together with the vehicle.

International® Financial offers loans, a full line up of lease options, and can establish a line of credit for use towards the purchase of International and IC Bus vehicles. Ask your dealer, International® or IC Bus® Sales Representative about completing an International Financial credit application and any promotional offers that may be available. International Financial services are provided by Navistar Financial Corporation.

The TOPS FET Calculation is an estimate for reference purposes only. The seller is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described here in are International Motors, LLC\* standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

International Motors, LLC d/b/a International Motors USA LLC in Illinois and Ohio.

BY \_\_\_\_\_

A RESOLUTION APPOINTING A NEW MEMBER TO REPLACE A CITIZEN MEMBER VACANCY; REAPPOINTING A CITIZEN MEMBER AND THE LOCAL GOVERNMENT MEMBER TO THE BOARD OF TRUSTEES OF NEWARK DOWNTOWN NEW COMMUNITY AUTHORITY; AND DECLARING AN EMERGENCY.

WHEREAS, on June 17, 2024, this Council adopted Ordinance 24-21 which states that successor members of the Board of Trustees (the “Board”) of the Newark Downtown New Community Authority (the “Authority”) are to be selected in the same manner as the initial Board members until such time as this Council adopts an alternative method of selection or election; and

WHEREAS, on December 5, 2025, Fred Ernest submitted a letter of resignation from his position as a Local Government Representative Member of the Board, creating a vacancy; and

WHEREAS, this Council desires to appoint Patrick Sullivan to fill the unexpired term of Fred Ernest which expires on June 16, 2026; and

WHEREAS, this Council desires to reappoint Kori Caughenbaugh and Brandon Hess as Citizen Members to successive terms on the Board which will expire on June 16, 2027.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF NEWARK, COUNTY OF LICKING, AND STATE OF OHIO, THAT:

Section 1. In accordance with the method of selection prescribed in Ordinance 24-21 and pursuant to R.C. 349.04, this Council hereby appoints Patrick Sullivan as a Local Government Representative of the Board to replace Fred Ernest to fill the unexpired term ending June 16, 2026.

Section 2. In accordance with the method of selection prescribed in Ordinance 24-21 and pursuant to R.C. 349.04, this Council hereby reappoints Kori Caughenbaugh and Brandon Hess to a successive term as Citizen Members of the Board, for terms expiring on June 16, 2027.

Section 3. In accordance with the method of selection prescribed in Ordinance

24-21 and pursuant to R.C. 349.04, and the letter appointing the City's developer representatives, dated \_\_\_\_\_, the Mayor reappoints those individuals listed below, and memorialized in Exhibit "A", to serve as Appointed Statutory Developer Members on the Board of Trustees of the Newark Downtown New Community Authority for the terms identified below:

- (1) Mark Mauter, for the two-year term that began on June 17, 2025, and ends on June 16, 2027;
- (2) Tim Hickman, for the two-year term that began on June 17, 2025, and ends on June 16, 2027.

Section 4. This Council and any other officials of the City are authorized and directed to take such actions and make such arrangements that are consistent with the purpose of this Resolution and necessary and proper for the appointment and reappointment of members to the Board.

Section 5. This Council hereby finds and determines that all formal actions taken relative to the passage of this Resolution were taken in an open meeting of the Council, and all deliberations thereby of the Council, and any of its committees, that resulted in such formal action were in meetings open to the public, and all in compliance with legal requirements including Section 121.22 of the Ohio Revised Code.

Section 6. This Resolution shall be an emergency measure necessary for the preservation of the health, welfare and safety of the residents of the City of Newark, Ohio, in order to allow the Board to meet the quorum requirements for Board meetings contained in Revised Code Chapter 349. Therefore, this Resolution shall become effective immediately in accordance with Article 4.07 of the Charter of the City of Newark, Ohio.

Passed this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

\_\_\_\_\_  
PRESIDENT OF COUNCIL

ATTEST: \_\_\_\_\_  
Clerk of Council

DATE FILED WITH MAYOR: \_\_\_\_\_

DATE APPROVED BY MAYOR: \_\_\_\_\_

MAYOR \_\_\_\_\_

FORM APPROVED: \_\_\_\_\_  
Director of Law

Prepared by the Office of the Director of Law



 740-670-7510  
 JHall@newarkohio.net  
 NewarkOhio.gov

**JEFF HALL**  
MAYOR

December 15, 2025

City of Newark, Ohio  
40 West Main Street  
Newark, Ohio 43055  
ATTN: Newark City Council

Re: Re-Appointment of two (2) Statutory Developer Members to the Newark Downtown New Community Authority Board of Trustees

Dear Newark City Council:

On behalf of the City of Newark, Ohio (the "Developer"), as such term is defined by Ohio Revised Code Chapter 349 (the "Act"), with respect to the Newark Downtown New Community Authority established by the City Council of the City of Newark, Ohio, as organizational board of commissioners under the Act, and pursuant to Ohio Revised Code Section 349.04, I hereby give notice that the Developer has re-appointed the following persons to serve as Appointed Statutory Developer Members on the Board of Trustees of the Newark Downtown New Community Authority for the terms identified below:

- (1) Mark Mauter, for the two-year term that began on June 17, 2025 and ends on June 16, 2027;
- (2) Tim Hickman, for the two-year term that began on June 17, 2025 and ends on June 16, 2027.

If you have any questions, please feel free to contact me.

Jeff Hall

